

# MATERIAL SAFETY DATA SHEET

## APF Acryseal VOC

### SECTION I

#### Product Identification and General Information

Product Name: APF Acryseal VOC  
Product Class: Clear Acrylic Lacquer  
HMIS Codes: H F R P  
2 3 1 G

Date Prepared: 11/10/2009  
24 Hour Emergency  
Assistance: 1-800-562-4921

### SECTION II

#### Hazardous Ingredients

<u>Hazardous Ingredients</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Acetone	67-64-1	1000 ppm	1000 ppm
P-Chlorobenzotrifluoride	98-56-6	N/E	N/E
Aromatic Petroleum Distillates	6472-95-6	N/E	N/E

### SECTION III

#### Physical Data

Boiling Point: N/A  
Vapor Pressure: 88mm Hg  
Vapor Density: Greater than air  
Specific Gravity: 0.91  
Percent Volatiles: 75%

Solubility in Water: Soluble  
Evaporation Rate: 8 (N-butyl Acetate)  
Appearance: Clear liquid  
Odor: Solvent odor

### SECTION IV

#### Fire and Explosion Hazard Data

Flash Point: Greater than 20° F (TCC)  
Flammable Limits:  
LEL: 2.6%  
UEL: 12.8%  
Extinguishing media: Dry chemical, carbon dioxide, foam.  
Hazardous Combustion Products: None known.  
Special Fire Fighting Procedures: Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH approved or equivalent) and full protective gear. Use water spray to cool containers exposed to fire.  
Fire and Explosion Hazards: Vapors can travel to a source of ignition and flash back.

### SECTION V

#### Reactivity Data

Stability: Stable  
Hazardous Polymerization: Will not occur  
Incompatibility: None known

