

## SAFETY DATA SHEET

FCFCL00

Page 1 of 5

<b>SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY</b>
--

**MANUFACTURER'S NAME / ADDRESS**

**ARIZONA POLYMER FLOORING**  
 4565 W WATKINS ST.  
 PHOENIX, AZ 85043 .

**TRADE NAME:** COLOR FUSE  
**COLOR:** CLEAR  
**MAIN USE:** SPECIALTY FLOOR COATING

**EMERGENCY TELEPHONE NUMBER:** (800) 424-9300 (CHEMTREC)

<b>SECTION 2: HAZARDS IDENTIFICATION</b>
--

**GLOBALLY HARMONIZED SYSTEM (GHS)**

**CLASSIFICATION:** NOT CLASSIFIED  
**GHS LABEL ELEMENTS:** NOT APPLICABLE  
**SIGNAL WORD:** NONE  
**HAZARD STATEMENTS:** NONE  
**PRECAUTIONARY STATEMENTS:** NONE

<b>SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

<u>HAZARDOUS INGREDIENTS</u>	<u>Wt. %</u>	<u>CAS Number</u>
TRIMETHYLPENTANEDIOL MONOISOBUTYRATE	0.1-1.0	025265-77-4

<b>SECTION 4: FIRST AID MEASURES</b>
--------------------------------------

**GENERAL:** REMOVE AFFECTED PERSON FROM AREA. TREAT SYMPTOMATICALLY.

**EYES:** FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

**SKIN:** WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

**INHALATION:** MOVE TO FRESH AIR. IF BREATHING REMAINS OR BECOMES LABORED, SEEK MEDICAL ATTENTION.

**INGESTION:** GIVE 3 – 4 GLASSES OF MILK OR WATER. **DO NOT INDUCE VOMITING.** SEEK MEDICAL ATTENTION.

<b>SECTION 5: FIRE FIGHTING MEASURES</b>
--

**FLASH POINT:** NA

**OSHA CLASS:** NONE SHOWN

**CONDITIONS OF FLAMMABILITY:** NA

**AUTO IGNITION TEMP.:** NA

**FLAMMABLE LIMITS:** LEL: NE UEL: NE

**SENSITIVITY TO IMPACT:** NONE

**HAZARDOUS COMBUSTION PRODUCTS:** CO, CO<sub>2</sub>,

**SENSITIVITY TO STATIC DISCHARGE:** NONE

**EXTINGUISHING MEDIA:** WATER, CO<sub>2</sub>, DRY CHEMICAL

**SPECIAL FIRE FIGHTING PROCEDURES:** NONE LIKELY WITH SMALL QUANTITIES. FOR LARGE QUANTITIES, FIREFIGHTERS AND OTHERS EXPOSED TO VAPORS OR PRODUCTS OF COMBUSTION SHOULD WEAR BUTYL RUBBER BOOTS, GLOVES AND BODY SUIT. SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

**UNUSUAL FIRE AND EXPLOSIVE HAZARDS:** POLYMER FILM CAN BURN, MATERIAL CAN SPLATTER ABOVE 100°C

## SAFETY DATA SHEET

FCFCL00

Page 2 of 5

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** COVER SPILLS WITH ABSORBENT. PLACE IN METAL CONTAINERS FOR RECOVERY OR DISPOSAL. PREVENT ENTRY INTO SEWERS, STORM DRAINS, AND WATERWAYS.

### SECTION 7: HANDLING AND STORAGE

**GENERAL:** STORE IN COOL, WELL VENTILATED AREAS. KEEP AWAY FROM HEAT AND OPEN FLAMES. AVOID PROLONGED INHALATION OF HEATED VAPORS OR MISTS. AVOID PROLONGED SKIN CONTACT.

**STORAGE:** STORE BETWEEN 40°F AND 100°F PROTECTED FROM FROST AND DIRECT SUNLIGHT.

### SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

INGREDIENTS (CAS)	<u>EXPOSURE LIMITS (ppm)</u>				OTHER
	OSHA		ACGIH		
	TWA	STEL	TWA	STEL	
025265-77-4	NE	NE	NE	NE	

**ENGINEERING CONTROLS:** NO SPECIFIC CONTROLS NEEDED. GENERAL AND LOCAL EXHAUST RECOMMENDED.

**RESPIRATORY PROTECTION:** NONE REQUIRED IN ADEQUATELY VENTILATED AREAS. IF VAPOR CONCENTRATION EXCEEDS 20ppm FOR LONGER THAN 15 MINUTES, A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS IS RECOMMENDED.

**PROTECTIVE GLOVES:** NITRILE RUBBER

**EYE PROTECTION:** SPLASH-PROOF GOGGLES OR CHEMICAL SAFETY GLASSES

**OTHER PROTECTIVE EQUIPMENT:** LONG SLEEVED SHIRTS AND TROUSERS. EMERGENCY SHOWERS AND EYE WASH STATIONS SHOULD BE READILY ACCESSIBLE.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>BOILING POINT:</b> >100°C (>212° F)	<b>SPECIFIC GRAVITY:</b> 1.0-1.1
<b>VAPOR PRESSURE:</b> ND	<b>MELTING POINT:</b> ND
<b>VAPOR DENSITY:</b> >1 (AIR = 1)	<b>EVAPORATION RATE:</b> <1 (BUTYL ACETATE = 1)
<b>SOLUBILITY IN WATER:</b> DILUTABLE	<b>pH:</b> 8.0 TO 11.5
<b>COEFFICIENT of WATER/OIL DISTRIBUTION:</b> ND	<b>ODOR THRESHOLD:</b> ND
<b>APPEARANCE AND ODOR:</b> MILKY WHITE LIQUID, MILD ODOR	
<b>% VOLATILES BY VOLUME:</b> 78%	<b>% SOLIDS BY WEIGHT:</b> 23%

### SECTION 10: STABILITY AND REACTIVITY

**STABILITY:** STABLE

**CONDITIONS TO AVOID:** AVOID ELEVATED TEMPERATURES

**INCOMPATIBILITY (MATERIAL TO AVOID):** NONE KNOWN

**HAZARDOUS DECOMPOSITION PRODUCTS:** NONE KNOWN

**HAZARDOUS POLYMERIZATION (REACTIVITY):** WILL NOT OCCUR

**CONDITIONS TO AVOID:** KEEP FROM FREEZING

**SAFETY DATA SHEET**

FCFCL00

Page 3 of 5

**SECTION 11: TOXICOLOGICAL INFORMATION**

**LIKELY ROUTES OF EXPOSURE:** EYE CONTACT, SKIN CONTACT, INHALATION, INGESTION.

**EYES:**

ACUTE – MAY CAUSE MILD IRRITATION WITH BLURRED VISION.

CHRONIC– ND

**SKIN CONTACT:**

ACUTE – TRANSIENT IRRITATION AND REDNESS.

CHRONIC – ND

**SKIN ABSORPTION:**

ACUTE – ND

CHRONIC – ND

**INHALATION:**

ACUTE – INHALATION OF MISTS MAY CAUSE MILD RESPIRATORY TRACT IRRITATION.

CHRONIC – EXCESSIVE EXPOSURE TO HEATED VAPORS CAN CAUSE IRRITATION OF EYES, NOSE AND THROAT.

**INGESTION:**

ACUTE – MAY CAUSE MILD IRRITATION OF GASTRO-INTESTINAL TRACT

CHRONIC – ND

**CONDITIONS AGGRAVATED BY EXPOSURE:** NONE KNOWN.

**OVEREXPOSURE EFFECTS:** IRRITATION

IRRITANCY: YES - REVERSIBLE

SENSITIZER: NO

**ACUTE TOXICITY**

**ACUTE ORAL TOXICITY**

TRIMETHYLPENTANEDIOL MONOISOBUTYRATE LD50: 3400 mg/kg SPECIES: RAT

**ACUTE INHALATION TOXICITY- COMPONENTS**

OECD TEST GUIDELINE 403

TRIMETHYLPENTANEDIOL MONOISOBUTYRATE LC50(4 HR): 4.224 mg/l SPECIES: RAT

**ACUTE DERMAL TOXICITY- COMPONENTS**

ND

**SKIN CORROSION/IRRITATION**

RABBIT, NON-IRRITANT

**SERIOUS EYE DAMAGE/EYE IRRITATION**

RABBIT, NON-IRRITANT

**CARCINOGENIC DATA:** NTP: NONE

OSHA: NONE

IARC: NONE

TERATOGENICITY: NO

MUTAGENICITY: NO

EMBRYOTOXICITY: NO

SYNERGISTIC MATERIAL: NO

**SECTION 12: ECOLOGICAL INFORMATION**

**TOXICITY**

**ACUTE TOXICITY TO FISH**

ND

**ACUTE TOXICITY TO AQUATIC INVERTEBRATES**

ND

## SAFETY DATA SHEET

FCFCL00

Page 4 of 5

### SECTION 12: ECOLOGICAL INFORMATION CON'T.

#### ACUTE TOXICITY TO ALGAE/AQUATIC PLANTS

ND

#### TOXICITY TO BACTERIA

ND

#### PERSISTANCE AND DEGRADABILITY

**BIODEGRADABILITY:** READILY BIODEGRADABLE (BY OECD CRITERIA)

#### BIOACCUMULATIVE POTENTIAL

**BIOACCUMULATION:** NOT BIOACCUMULATIVE

**MOBILITY IN SOIL:** ND

### SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHODS:** NOT A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261). PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

### SECTION 14: TRANSPORT INFORMATION

**DOT PROPER SHIPPING NAME:** NOT REGULATED

**HAZARD CLASS:** NA

**UN NUMBER:** NA

**PACKAGING GROUP:** NA

**DOT PRODUCT RQ LBS (KGS):** NA

**HAZARD LABEL:** NA

**HAZARD PLACARD:** NA

**ADDITIONAL INFORMATION:** NONE

### SECTION 15: REGULATORY INFORMATION

**MATERIAL VOC =** 6 gram / liter

**COATING VOC =** 28 gram/liter

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** ALL COMPONENTS ARE LISTED IN THE TSCA CHEMICAL SUBSTANCE INVENTORY.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION and LIABILITY ACT):** ND

#### SARA TITLE III

**SECTION 312 HAZARD CLASS:** SLIGHT HEALTH HAZARD

**SECTION 313 LISTED INGREDIENTS:** NONE ABOVE de Minimus LEVELS

**CALIFORNIA PROPOSITION 65:** THE BELOW LIST OF COMPOUNDS IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE

